



**2738W**

**2-BUTTON MINI DOOR-ENTRY PHONE, SBTOP**



MINI series door-entry phone for SBTOP system with electronic call, key button and additional button for extra services (switchboard call, actuator and generic uses). Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Allows floor door call management. Complete with 8-position dip-switch for selection of the desired user code. Door-entry phone for use in mixed audio/video SBTOP systems. Fitted with terminal art. 1214/2C. Dimensions: 105x191x28 mm

**AWARDS**

DESIGN  
 MILANO



**2738W**

**2-BUTTON MINI DOOR-ENTRY PHONE, SBTOP**

**MAIN FEATURES**

|                             |       |
|-----------------------------|-------|
| Audio system:               | Yes   |
| Audio/video system:         | No    |
| Flush-mounted:              | No    |
| Wall-mounted:               | Yes   |
| Desk base-mounted:          | Yes   |
| Hands-free function:        | No    |
| Induction loop function:    | No    |
| Product colour:             | White |
| Sensitive Touch technology: | No    |
| Total buttons:              | 2     |

**FUNCTIONS**

|                            |     |
|----------------------------|-----|
| Actuator control function: | Yes |
| Switchboard call function: | Yes |
| Intercom function:         | No  |
| Selective intercom call:   | No  |
| Privacy function:          | Yes |
| Doctor:                    | No  |
| Floor door call function:  | Yes |
| Electronic bell:           | Yes |
| Customisable ringtone:     | No  |
| Key button function:       | Yes |

**SETTINGS**

|                          |     |
|--------------------------|-----|
| Ringtone volume control: | Yes |
|--------------------------|-----|

**GENERAL DATA**

|                        |      |
|------------------------|------|
| Product height (inch): | 7.48 |
| Product width (inch):  | 4.06 |
| Product depth (inch):  | 1.18 |

**COMPATIBILITY**

|                                   |     |
|-----------------------------------|-----|
| Simplebus Top audio/video system: | Yes |
| Building Kit audio/video system:  | Yes |
| Simplebus 2 audio system:         | Yes |
| Kit audio/video system:           | Yes |

**TECHNICAL CHARACTERISTICS**

|                             |         |
|-----------------------------|---------|
| Power supply voltage (VDC): | 22 ÷ 35 |
|-----------------------------|---------|

The technical specifications are subject to variations without warning.



**2738W**

## 2-BUTTON MINI DOOR-ENTRY PHONE, SBTOP

### TECHNICAL CHARACTERISTICS

|                                       |                                  |
|---------------------------------------|----------------------------------|
| Absorption in stand-by (mA):          | 0.7                              |
| Absorption during call (mA):          | 30                               |
| Absorption during communication (mA): | 30                               |
| Microphone:                           |                                  |
| Loudspeaker:                          | Ø 0.50 mm ; Max Input Power 0.5W |
| Operating temperature (°F):           | 23 ÷ 104                         |
| Product weight (oz):                  | 0.57                             |
| Clamps:                               | L, L, CFP, CFP                   |



2738W

## 2-BUTTON MINI DOOR-ENTRY PHONE, SBTOP

### ACCESSORIES



**2742W**

DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET

Desk base for desktop conversion of MINI series door-entry phones. Complete with 1.5 m cable and connection coupling.

**6753**

Bracket for routing Mini external cables