



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES



Quadra series wall-mounted external video entry unit with mechanical buttons. Die-cast aluminium faceplate, wide-angle colour camera and a single LED for nighttime lighting. Indicator LED for call sent, lock-release activated, audio activated and system busy. Adjustment of speaker volume and audio balance. Power supply from bus line. External unit dimensions: 95x195x28 mm.

AWARDS





4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

GENERAL DATA

| | |
|---------------------|--------------------------------|
| Type | Monoblock |
| Product height (mm) | 195 |
| Product width (mm) | 95 |
| Product depth (mm) | 23 |
| Product weight (g) | 300 |
| Product colour | Grey RAL 9006, Black RAL9005 |
| Material | Polycarbonate, Aluminium alloy |
| Wall-mounted | Yes |

COMPATIBLE SYSTEMS

| | |
|---|-----|
| Simplebus 2 audio/video kit with power supply art. 1209 | Yes |
|---|-----|

AUDIO FEATURES

| | |
|-------------|--------------------------|
| Microphone | 6mm (Ø), Omnidirectional |
| Loudspeaker | 36mm (Ø), 8 Ohm, 1W |

CAMERA FEATURES

| | |
|----------------------------|--------------|
| Camera | Colours |
| Sensor type | 1/4" CMOS |
| Lens (mm) | 2.1 |
| Angle of view (H x V - °) | 100 diagonal |
| Sensitivity (lux) | 0.1 (colour) |
| Resolution (H x V - pixel) | 648x488 |

ELECTRICAL CHARACTERISTICS

| | |
|------------------------|--|
| Type of power supply | Power supply from video door entry bus |
| Supply voltage | 33VDC |
| Maximum absorption (W) | 8.25 |

HARDWARE FEATURES



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

| | |
|-----------------------------|------------------------------|
| Call type | Push-buttons |
| Type of buttons | Mechanical |
| Number of push-buttons (n°) | 4 |
| Backlight colour | White |
| Clamps | LL RTE COM DO SE- SE+C NC NO |
| Number of inputs (n°) | 2 |
| Number of outputs (n°) | 2 |

SETTINGS

| | |
|--------------------|-----|
| Loudspeaker volume | Yes |
|--------------------|-----|

ENVIRONMENTAL AND COMPLIANCE FEATURES

| | |
|-------------------------------------|--|
| IP protection degree | IP54 |
| IK vandal-proof protection degree | IK08 |
| Operating temperature (°C) | -25 ÷ 55 |
| Operating humidity (RH max - %) (%) | 25 ÷ 95 |
| Compliance and Certifications | RoHS II - 2011/65/UE (EN 50581:2012), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011) |

MAIN FUNCTIONS

| | |
|-------------------------------------|-----|
| Door opener | Yes |
| Number of auxiliary relays (n°) | 1 |
| Input for local door release button | Yes |
| Door open signaling input | Yes |
| Visual indications of system status | Yes |
| Acoustic signals of system status | Yes |
| Speech synthesis of system status | Yes |



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

ACCESSORIES



4793MC CORTEN FACEPLATE FOR QUADRA W/BUTTONS

Corten color faceplate for Quadra entrance panel with mechanical buttons.



4793MB BLACK FACEPLATE FOR QUADRA W/BUTTONS

Black faceplate for Quadra entrance panel with mechanical buttons



4793MA ALUMINIUM FACEPLATE FOR QUADRA W/BUTTONS

Aluminium colour faceplate for Quadra entrance panel with mechanical buttons




4791 Adapter plate for Quadra

Plate allowing installation of the Quadra external unit in 1- and 2-module flush-mounted boxes by Comelit, Bticino and Urmet. Dimensions 137x236 mm



4792 RAIN SHIELD FOR QUADRA ENTRANCE PANEL

Rain shield in painted aluminum for Quadra entrance panel, grey colour. Dimensions (W x H x D): 99 x 210 x 41 mm.



1217 NAME TAG SHEETS FOR QUADRA ENTRANCE PANEL

The kit contains 10 sheets of adhesive labels for nameplates



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

ACCESSORIES



1235A NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Ikall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website