DATA SHEET

COD. 6802W

MAXI SERIES 7" MONITOR. VIP SYSTEM

7• 16:9 touch monitor with full-duplex hands-free audio. Management of Audio distribution and Energy consumption as standard. Audio, ringtone, colour and contrast adjustment. Equipped with a slot to house the micro SD Card. Ringtone can be customised. Equipped with video memory function and internal directory for the management of intercom calls. Management of external floor door call and call repetition as standard. Panic and alarm input. "Sensitive touch" commands with LED backlighting. The audio and door-opening command is always visible, whilst the others appear after touch or swipe contact. Also has button for self-ignition, selectable privacy or doctor button (with active red privacy indicator), and 2 controls for different uses. "Door Open" and "New Message" indicator lights. Flush or wall- mounted or desk base versions. 223x124x25mm. Compatible with H264 video format.



General specifications

System:	ViP
Audio/video system:	Yes
Flush-mounted:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inches):	7? 16/9
Touch screen display:	Yes
Display resolution (H x V):	800x480pixel
B/W or colour display:	Color
Product color:	White RAL9003
Buttons with technology cap sense:	Yes
Sensitive Touch technology:	Yes
Total buttons:	8
LED signaling:	8
Backlighting color:	White

Functions

Actuator control function:	Yes	
Self-ignition:	Yes	
Switchboard call function:	Yes	
Intercom function:	Yes	
Call forwarding:	Yes	
Privacy function:	Yes	



DATA SHEET

Redial:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Video memory:	Yes
Viewer energy consumption:	Yes
Alarm function:	Yes
Sound diffusion control:	Yes
Receiving text messages:	Yes
Images reception:	Yes
Sending emails on event:	Yes
Privacy conversation function:	Yes
Key button function:	Yes
Full Duplex hands-free function:	Yes
Automatic gain control (AGC):	Yes

Hardware specifications

DDE function:	Yes	
Removable terminals:	Yes	
Ethernet ports:	1	
Type of connections/ports:	SD Card	

Settings

Loudspeaker volume control:	Yes	
Microphone volume control:	Yes	
Ringtone volume control:	Yes	
Display brightness control:	Yes	
Display contrast control:	Yes	
Display colour control:	Yes	

General info

Product height (mm):	124
Product width (mm):	223
Product depth (mm):	25

Compatibility

Video door entry family:	Yes	
Vip system:	Yes	

Technical specifications

Supply voltage:	36÷57Vdc
POE power supply:	Yes
Maximum current absorption (mA):	220



DATA SHEET

D (' () () A)	40
Power consumption stand-by (mA):	46
In called absorption (mA):	76
In communication absorption (mA):	82
Microphone:	5mm omni-direction
Speaker:	80mm 80Ohm 1W
Support SD card (card not in equipment):	Yes
IP Rating:	30
Operating temperature (°C):	-5÷40
Video encoding:	H.264
Product weight (g):	0,7
Clamps:	CFP1 IN1 AL PAN OUT1 S+ S- 0V
Network connection:	RJ45
IP assignment:	AUTO IP

