

VIDEO DOOR ENTRY SYSTEMS & KITS KIT AUDIO EXTRA

1/5



KAE5061

5-wire single-family audio kit. Extra-Mini.



The kit includes: one Mini series door-entry phone art. 2702W, one transformer art. 1200, one Extra series external unit with 1 call button art. ET5001. The kit can be expanded with another door-entry phone. The external unit can be surface-mounted or flush-mounted using the relevant accessories supplied with the kit.

AWARDS





VIDEO DOOR ENTRY SYSTEMS & KITS

KIT AUDIO EXTRA





KAE5061

5-wire single-family audio kit. Extra-Mini.

KIT PRODUCTS



ET5001 Extra 4+N. series entrance panel kit. 1 button

Extra series external unit with 1 call button. Stainless steel cover and blue nameplate backlighting. Complete with flush-mount box and wall bracket. Dimensions $95 \times 135 \times 6.5$ mm (flush) - 25 mm (surface). 5-Wire cabling.

GENERAL DATA	
Туре	Monoblock
Flush-mounted	Yes
Wall-mounted	Yes

HARDWARE FEATURES	
Clamps	~* ~ 2 3 4 S1 S2

ENVIRONMENTAL AND COMPLIANCE FEATURES	
Operating temperature (°C)	-25 ÷ 55



VIDEO DOOR ENTRY SYSTEMS & KITS KIT AUDIO EXTRA

3/5



KAE5061

5-wire single-family audio kit. Extra-Mini.



2702W 2-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL

MINI series door-entry phone for traditional system with electronic call and key button. Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light.

Dimensions: 105x191x28 mm

GENERAL DATA		
Height (mm)	189.99	
Width (mm)	103.12	
Depth (mm)	29.97	
SETTINGS		
Loudspeaker volume control	Yes	
Microphone volume control	Yes	
Ringtone volume control	Yes	

MAIN FEATURES	
Audio system	Yes
Wall-mounted	Yes
Desk base-mounted	Si
Colour	White
Total buttons (n°)	2

FUNCTIONS	
Actuator control function	Yes
Privacy function	Yes
Electronic bell	Yes
Key button function	Yes

COMPATIBILITY	
Traditional system	Yes



VIDEO DOOR ENTRY SYSTEMS & KITS

KIT AUDIO EXTRA





KAE5061

5-wire single-family audio kit. Extra-Mini.	
TECHNICAL CHARACTERISTICS	
Supply voltage	15÷16VDC
Absorption during call (mA)	0.42
Absorption during communication (mA)	0.35
Microphone	4mm, omnidirectional
Operating temperature (°C)	-5 ÷ 40
Weight (g)	258.55
Clamps	S 2 3 4 P1 P2



VIDEO DOOR ENTRY SYSTEMS & KITS

KIT AUDIO EXTRA





KAE5061

5-wire single-family audio kit. Extra-Mini.

ACCESSORIES



ET9150 Flush-mounted box for Extra entrance panel kit

Flush-mounted box for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: $134.5 \times 93.5 \times 25 \text{ mm}$



ET9160 Wall bracket for Extra entrance panel kit

Wall housing for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: $94 \times 134 \times 19 \text{ mm}$



1229 EXTENSION SOUNDER

Additional bell for call repetition can be controlled directly from terminals S- and S+ of the brackets and/or from the telephones. Surfacemounted or on civil series 503 box. Dimensions: 110X75X29 mm.