

Surge Protector Series

User Manual

Model: 800617

High Performance 10G Ethernet Surge Protector








800617 is an in-line RJ45 surge protector designed to protect valuable HDBaseT and network devices from high voltage surges, with network bandwidth up to 10Gbps.

Features

- Supports bandwidth up to 10Gbps
- Built-in ESD, EFT (impulse noise) protection.
- Response time less than 1 ns.

Installation View







Specification

specification	
ITEM NO.	800617
Support	
Compliance	IEC 61000-4-2, IEC 61000-4-5
Network Bandwidth	10 Gbps (Max)
Response Time	Less than Ins
ESD Protection	15KV(Air),8 KV (Contact)
Lightning Protection	2KA (8/20μs)/6KV (8/20μs)
Surge Life	300 times (100A per surge)
Normal Resistance Across Coax	10,000 ΜΩ
Surge Resistance	Approx, 0Ω
Band Pass	0 to 1 GHz
Insertion Loss	Less than 0.2 dB
Return Loss (75 Ω)	16dB
Ports & Interfaces	
Equipment End	1 x RJ45
Cable End	1 x RJ45
Ambient Temperature	
Operation	-10 to 75°C
Storage	-40 to 90°C
Humidity	Up to 95%
Physical Characteristics	
Dimensions	67 x 87 x 27mm
Weight	126g

